





Residential retrofit assessment platform and demonstrations for near zero energy and CO2 emissions with optimum cost, health, comfort and environmental quality.

A H2020 project which includes a demo building at Brunel campus started in Jan 2018 to finish in Dec 2021 (four years)

Brunel is Technical Manager, University of Aalborg co-ordinates

Total project budget 9M Euros with 17 partners























Innovation/Ambition





COST & TIME EFFICIENCY

- Modular Action Plans with adaptable solutions
- Integreated Project Delivery
- Least Cost Approach
- Synergies between technologies



ENERGY EFFICIENCY

- Ultra-Thin Vacuum Insulation
- Compact PV arrays
- Smart Windows
- Cooling Materials
- System monitored & controlled by BEMS



HUMAN HEALTH & COMFORT

- Thermal, acoustic & visual comfort
- Passive on demand ventilation
- · Nature based air treatment
- Streamlined and intuitive IEMS optimized for IEQ



ENVIRONMENT

- Urban microclimate improvement
- · RES energy generation
- Low CO₂ footprint of solutions
- Decarbonized refurbishment







3-step approach

REFURBISHMENT ASSESSMENT

REFURBISHMENT PLANNING

RENNOVATION PROCESS

through

Rebubrishment Assessment Tool

(RAT)



a holistic overview (cost, energy,
user requirements, LCA) of
the renovation potential for
user-driven refurbishment scenarios

with

Least Cost method and Integrated Project Delivery (IPD)



selection of

optimal Action Plan

and optimisation of installation process



Installation of personalised

Retrofit-Kit





Residential Demonstration Buildings
















Technologies











Demo building at Brunel


- Brunel Estates agreed for one of the campus buildings to be a demo building.
- A range of buildings were investigated and Clifton Hall was identified as a good candidate which was also due for some upgrades.
- ReCO2ST team was involved in meetings with Estates and external contractors in winter 2019
- Interventions were carried out in summer 2019 when ReCO2ST team, Estates and external contractors worked well together.
- Residences were involved during post interventions
- Required energy data were made available

Building Envelope: Insulation – va-Q-tec












Building Envelope: Windows - Horn




S



Selvkølende situation














(b) Ventilation pre-heating mode. Ventilation goes through the PCM he exchanger to be heated up by the stotage.

when $I < I_{setpoint}$


T_{indoor} < 24 °C



Building Envelope: Nature based IAQ solutions

alchemia-nova



















Building Envelope: Cool Materials - ECRC








Figure 1. Room air temperature in London demo site




Figure 2. Surface temperature of a horizontal surface at London demo site





Building Systems: HVAC systems




Fig. Cool-Phase outside layout




Fig. Cool-Phase diagram



PCM Based ventilation and cooling is installed in the UK demo building












Energy harvesting: CPV and PV - BUL













Other measures: RAT will identify them and cost them

ReCO₂ST


- Domestic hot water
- Improved Air-tightness
- Reduce equipment heat gains: A++ appliances
- LED Lighting
- Heating systems: improvement in London





Simulation results for the London demo building









Users' engagement

- Energy data for comparison
- Students were engaged with some questionnaire and more widely through a design competition enabled by Residences







Contact







info@RECO2ST.eu



www.RECO2ST.eu







ReCO₂ST Horizon 2020 Project

COLOPHON

This project has received funding from the European Union's H2020 framework programme for research and innovation under grant agreement no 768576.

The information in this publication does not necessarily represent the view of the European Commission.

© RECO2ST

All rights reserved. Any duplication or use of objects such as diagrams in other electronic or printed publications is not permitted without the author's agreement.























